

L Number	Hits	Search Text	DB	Time stamp
30	12	("4924522" "4939583" "5060242" "5095374" "5212742" "5253053" "5267334" "5280349" "5293229" "5295203" "5331417" "5341318").PN.	USPAT	2004/01/09 10:06
31	33	5479527.URPN.	USPAT	2004/01/09 10:06
32	35998	(run or number or length) with (zero or "0") with count\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 10:52
36	4	("5341318" "5402244" "5440404" "5475502").PN.	USPAT	2004/01/09 10:16
37	2	5627917.URPN.	USPAT	2004/01/09 10:16
38	4	("3717851" "4899149" "5060242" "5140322").PN.	USPAT	2004/01/09 10:17
39	7	5642115.URPN.	USPAT	2004/01/09 10:17
40	6	("5247644" "5331417" "5333259" "5341318" "5402244" "5440713").PN.	USPAT	2004/01/09 10:18
41	1	5812701.URPN.	USPAT	2004/01/09 10:18
42	28	((run or number or length) with (zero or "0") with count\$4) and (((("4924522" "4939583" "5060242" "5095374" "5212742" "5253053" "5267334" "5280349" "5293229" "5295203" "5331417" "5341318").PN.) or 5479527.URPN. or (("5341318" "5402244" "5440404" "5475502").PN.) or 5627917.URPN. or (("3717851" "4899149" "5060242" "5140322").PN.) or 5642115.URPN. or (("5247644" "5331417" "5333259" "5341318" "5402244" "5440713").PN.) or 5812701.URPN.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 10:53
43	1189430	compression or coding or encoding	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 10:25
44	28	((run or number or length) with (zero or "0") with count\$4) and (((("4924522" "4939583" "5060242" "5095374" "5212742" "5253053" "5267334" "5280349" "5293229" "5295203" "5331417" "5341318").PN.) or 5479527.URPN. or (("5341318" "5402244" "5440404" "5475502").PN.) or 5627917.URPN. or (("3717851" "4899149" "5060242" "5140322").PN.) or 5642115.URPN. or (("5247644" "5331417" "5333259" "5341318" "5402244" "5440713").PN.) or 5812701.URPN.)) and (compression or coding or encoding)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 10:26
45	550	(run or number or length) with (null) with count\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 10:53
46	0	((run or number or length) with (null) with count\$4) and (((("4924522" "4939583" "5060242" "5095374" "5212742" "5253053" "5267334" "5280349" "5293229" "5295203" "5331417" "5341318").PN.) or 5479527.URPN. or (("5341318" "5402244" "5440404" "5475502").PN.) or 5627917.URPN. or (("3717851" "4899149" "5060242" "5140322").PN.) or 5642115.URPN. or (("5247644" "5331417" "5333259" "5341318" "5402244" "5440713").PN.) or 5812701.URPN.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 11:00
47	1091746	fast\$2 or improv\$6 near2 speed	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 14:13

48	4837	(huffman or run adj1 length) near2 coding	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 11:02
49	122	((fast\$2 or improv\$6 near2 speed) same ((huffman or run adj1 length) near2 coding))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 11:02
50	42	((fast\$2 or improv\$6 near2 speed) with ((huffman or run adj1 length) near2 coding))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 11:02
51	5310773	@ad>19980227 not (continu\$6 or provision\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 11:02
53	39	((fast\$2 or improv\$6 near2 speed) with ((huffman or run adj1 length) near2 coding)) not (@ad>19980227 not (continu\$6 or provision\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 11:03
54	114	((fast\$2 or improv\$6 near2 speed) same ((huffman or run adj1 length) near2 coding)) not (@ad>19980227 not (continu\$6 or provision\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 11:03
55	190780	(read\$4 or input\$4) adj2 (two or "2" or pair)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 11:06
57	36	((read\$4 or input\$4) adj2 (two or "2" or pair)) and (((fast\$2 or improv\$6 near2 speed) same ((huffman or run adj1 length) near2 coding)) not (@ad>19980227 not (continu\$6 or provision\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 11:06
56	20	((read\$4 or input\$4) adj2 (two or "2" or pair)) and (((fast\$2 or improv\$6 near2 speed) with ((huffman or run adj1 length) near2 coding)) not (@ad>19980227 not (continu\$6 or provision\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 11:08
58	36407	((run or number or length) with (zero or "0") with count\$4) or ((run or number or length) with (null) with count\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 11:08

59	10239	((fast\$2 or improv\$6 near2 speed) and (((run or number or length) with (zero or "0") with count\$4) or ((run or number or length) with (null) with count\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 11:09
61	21	(((run or number or length) with (zero or "0") with count\$4) or ((run or number or length) with (null) with count\$4)) and (((read\$4 or input\$4) adj2 (two or "2" or pair)) and (((fast\$2 or improv\$6 near2 speed) same ((huffman or run adj1 length) near2 coding)) not (@ad>19980227 not (continu\$6 or provision\$4))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 11:09
60	17	(((run or number or length) with (zero or "0") with count\$4) or ((run or number or length) with (null) with count\$4)) and (((read\$4 or input\$4) adj2 (two or "2" or pair)) and (((fast\$2 or improv\$6 near2 speed) with ((huffman or run adj1 length) near2 coding)) not (@ad>19980227 not (continu\$6 or provision\$4))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 11:11
62	5307	(((run or number or length) with (zero or "0") with count\$4) or ((run or number or length) with (null) with count\$4)) same cycle	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 11:12
63	1208	(((run or number or length) with (zero or "0") with count\$4) or ((run or number or length) with (null) with count\$4)) same cycle) and (compression or coding or encoding)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 11:12
64	29	(((run or number or length) with (zero or "0") with count\$4) or ((run or number or length) with (null) with count\$4)) same (reduc\$4 or small\$2 or less) adj2 cycle	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 14:12
65	28303	DCT or huffman	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 11:33
66	0	(((run or number or length) with (zero or "0") with count\$4) or ((run or number or length) with (null) with count\$4)) same (reduc\$4 or small\$2 or less) adj2 cycle) and (DCT or huffman)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 11:33
67	449	(DCT or huffman) and ((read\$4 or input\$4) adj2 (two or "2" or pair)) and (((run or number or length) with (zero or "0") with count\$4) or ((run or number or length) with (null) with count\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 11:34
68	26	((huffman or run adj1 length) near2 coding) same ((read\$4 or input\$4) adj2 (two or "2" or pair))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 11:35

69	724	((huffman or run adj1 length) near2 coding) and ((read\$4 or input\$4) adj2 (two or "2" or pair))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 11:35
70	151	((DCT or huffman) and ((read\$4 or input\$4) adj2 (two or "2" or pair)) and (((run or number or length) with (zero or "0") with count\$4) or ((run or number or length) with (null) with count\$4))) and (((huffman or run adj1 length) near2 coding) and ((read\$4 or input\$4) adj2 (two or "2" or pair)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 11:35
71	10234	memory adj1 bank	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 11:36
72	311	((read\$4 or input\$4) adj2 (two or "2" or pair)) same (memory adj1 bank)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 11:57
74	186	((read\$4 or input\$4) adj2 (two or "2" or pair)) same (memory adj1 bank)) and (fast\$2 or improv\$6 near2 speed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 11:53
75	9	((read\$4 or input\$4) adj2 (two or "2" or pair)) same (memory adj1 bank)) and (fast\$2 or improv\$6 near2 speed)) and (((run or number or length) with (zero or "0") with count\$4) or ((run or number or length) with (null) with count\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 11:56
76	221268	((run or number or length) with (zero or "0") with count\$4) or ((run or number or length) with (null) with count\$4)) same3 ((read\$4 or input\$4) adj2 (two or "2" or pair))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 11:57
77	529	((run or number or length) with (zero or "0") with count\$4) or ((run or number or length) with (null) with count\$4)) same ((read\$4 or input\$4) adj2 (two or "2" or pair))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 11:57
78	84	((run or number or length) with (zero or "0") with count\$4) or ((run or number or length) with (null) with count\$4)) with ((read\$4 or input\$4) adj2 (two or "2" or pair))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 11:57
79	154	((read\$4 or input\$4) adj2 (two or "2" or pair)) with (memory adj1 bank)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 11:58

80	0	(((((run or number or length) with (zero or "0") with count\$4) or ((run or number or length) with (null) with count\$4)) with ((read\$4 or input\$4) adj2 (two or "2" or pair))) and (((read\$4 or input\$4) adj2 (two or "2" or pair)) with (memory adj1 bank))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 11:57
81	98	((read\$4 or input\$4) adj2 (two or "2" or pair)) near5 (memory adj1 bank)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 11:58
83	19	(compression or coding or encoding) and (((run or number or length) with (zero or "0") with count\$4) or ((run or number or length) with (null) with count\$4)) with ((read\$4 or input\$4) adj2 (two or "2" or pair)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 13:19
82	20	(compression or coding or encoding) and (((read\$4 or input\$4) adj2 (two or "2" or pair)) near5 (memory adj1 bank))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 13:50
84	1	((compression or coding or encoding) and (((read\$4 or input\$4) adj2 (two or "2" or pair)) near5 (memory adj1 bank))) and (((run or number or length) with (zero or "0") with count\$4) or ((run or number or length) with (null) with count\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 14:10
85	3926	zero adj1 run adj1 length or ZRL	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 14:11
86	0	(zero adj1 run adj1 length or ZRL) with (reduc\$4 or small\$2 or less) adj2 cycle	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 14:12
89	652	(fast\$2 or improv\$6 near2 speed) and (zero adj1 run adj1 length or ZRL)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 14:13
90	131	(fast\$2 or improv\$6 near2 speed) same (zero adj1 run adj1 length or ZRL)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 14:13
91	12	(fast\$2 or improv\$6 near2 speed) with (zero adj1 run adj1 length or ZRL)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 14:13

87	1	(zero adj1 run adj1 length or ZRL) same (reduc\$4 or small\$2 or less) adj2 cycle	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 14:14
88	8	(zero adj1 run adj1 length or ZRL) and (reduc\$4 or small\$2 or less) adj2 cycle	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 14:14
92	5	(compression or coding or encoding) and ((zero adj1 run adj1 length or ZRL) and (reduc\$4 or small\$2 or less) adj2 cycle)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 14:18
93	2	(compression or coding or encoding) and ((fast\$2 or improv\$6 near2 speed) with (zero adj1 run adj1 length or ZRL))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 14:19
94	16	(compression or coding or encoding) and ((fast\$2 or improv\$6 near2 speed) same (zero adj1 run adj1 length or ZRL))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 14:46
95	10	("5079548" "5291282" "5325092" "5327254" "5339164" "5341318" "5367299" "5436626" "5642115" "5694127").PN.	USPAT	2004/01/09 14:39
96	4	5764357.URPN.	USPAT	2004/01/09 14:39
97	5	(zero adj1 run adj1 length or ZRL) and (((("5079548" "5291282" "5325092" "5327254" "5339164" "5341318" "5367299" "5436626" "5642115" "5694127").PN.) or 5764357.URPN.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 14:44
98	4	("4626829" "5589829" "5701364" "5764357").PN.	USPAT	2004/01/09 14:44
99	3	6055272.URPN.	USPAT	2004/01/09 14:44
100	1	(zero adj1 run adj1 length or ZRL) and (((("4626829" "5589829" "5701364" "5764357").PN.) or 6055272.URPN.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 14:45
101	280	(compression or coding or encoding) and ((fast\$2 or improv\$6 near2 speed) and (zero adj1 run adj1 length or ZRL))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 14:46
102	193	((compression or coding or encoding) and ((fast\$2 or improv\$6 near2 speed) and (zero adj1 run adj1 length or ZRL))) and (DCT or huffman)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 15:41
103	8	((((run or number or length) with (zero or "0") with count\$4) or ((run or number or length) with (null) with count\$4)) with (FIFOs! or line adj1 (memories! or buffers!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 15:43

104	42	huffman with (FIFOs! or line adj1 (memories! or buffers!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/01/09 15:46
-----	----	------------------------------------------------------------	-------------------------------------------------------------------	------------------